Colyer.

Now Work Can Get Itself Done

Xerox[®] AltaLink[®] Color Multifunction Printers







Xerox[®] AltaLink[®] C8230/C8235/C8245/C8255/C8270 Color Multifunction Printers

Why harness the power of AI technology in a multifunction printer? Simple. Because busywork isn't your job. Our new AI-supported AltaLink 8200 Series Multifunction Printers are true Workplace Assistants that adapt to you and flex with you, automating tedious tasks so you can focus on what matters most.

BRILLIANTLY CAPABLE, VERSATILE AND AI-ASSISTED

AltaLink's intuitive, tablet-like user interface delivers time-saving ease for each task. Tap into AI-assisted algorithms that learn from you and prioritize your most commonly used tasks to create convenient shortcuts. So you can do more in fewer steps.

With pre-loaded AI-assisted apps*, AltaLink can automate your busy-butimportant work, such as redacting sensitive data, summarizing long reports and digitizing handwritten notes so they can be easily edited, shared and acted on.

Wireless should be seamless. AltaLink's native mobility features make it simple to print and scan from your favorite mobile devices. And you can even access your preferred cloud storage service right from the UI. So you can say goodbye to busywork and guesswork.

A SMARTER WAY TO SCALE

No matter how big or small the print job is, AltaLink can be customized to do it. With a variety of accessories and finishing options to choose from, you can configure your Workplace Assistant as needed. And as your business grows, more printers don't mean more problems. AltaLink devices can automatically keep critical productivity and security settings synced across your fleet. In addition, you can support users and perform interactive training right from your desktop.

SECURITY WITHOUT THE COMPLEXITY

Comprehensive security features work hard to prevent, detect and neutralize threats in addition to streamlining reporting and automatically remediating IT-required settings. Built-in, pre-defined security configurations simplify implementation. Just select one of three security templates and let AltaLink do the rest — no expert knowledge required.

DESIGNED FOR SUSTAINABILITY

With waste-reducing and energy-saving features and the inclusion of post-consumer recycled plastic, AltaLink printers help to reduce environmental impacts. These printers have achieved EPEAT®, ENERGY STAR® and Blue Angel certification.

STAND OUT IN A WORLD OF COLOR

Add clarity and impact to your documents with a high-resolution output of 1200 x 2400 dpi, best-in-class HD toner and superior color rendering and consistency. Take it even further and upgrade with the Xerox[®] EX-c AltaLink[®] Server Powered by Fiery[®], which provides even more options for polished, eye-catching documents that command attention.

XEROX[®] CONNECTKEY[®] TECHNOLOGY



Intuitive User Experience

Enjoy a tablet-like experience with gesture-based touchscreen controls and easy personalization, plus AI-assisted workflow automation.

Mobile and Cloud-ready

Be more mobile with cloud-hosted services and instant connectivity to cloud and mobile devices right from the user interface.

Comprehensive Security

Prevent unauthorized access, detect threats, and protect data and documents with built-in comprehensive security features.

Enables Managed Print Services

Seamless integration with Xerox[®] Managed Print Services delivers next-level workplace efficiency, employee productivity and security, while helping you meet sustainability goals.

Gateway to New Possibilities

Transform the way you work with the apps in the Xerox[®] App Gallery. Or choose Xerox[®] Workflow Central Platform to utilize apps from any device: laptop, desktop or your ConnectKey-enabled printer.

Find out more about how you'll work smarter at **ConnectKey.com**.



* Fully functional with limited use credits that can be renewed from the Xerox App Gallery

Xerox[®] AltaLink[®] C8230/C8235/C8245/C8255/C8270 Color Multifunction Printers



Two 520-sheet Adjustable Trays (common with all configurations). Tray 1 handles media sizes up to 11.7 x 17 in./A3 and Tray 2 handles media sizes up to 12 x 18 in./SRA3.



Envelope Kit (optional — replaces Tray 1) provides feeding of up to 60 envelopes.



High Capacity Tandem Tray Configuration holds a total paper capacity of up to 3,140 sheets.

Four Tray Module Configuration (available for C8230/C8235) holds a total of up to 2,180 sheets.

Bypass Tray handles up to 100 sheets; Custom sizes: 3.5 x 3.9 in. to 12.6 x 52 in./89 x 98 mm to 320 x 1,320 mm.

High Capacity

Feeder (optional) holds 3,000 sheets of letter/A4 paper, increasing the maximum paper capacity to 6,140 sheets.

E

LONG SHEET PRINTING

Long Sheet Feed Kit (optional) provides the ability to print up to 12.6 x 52 in./ 320 x 1,320 mm media.







Intuitive Tablet-like 10.1-inch Color Touchscreen is customizable and lets you perform tasks in just a few taps. Try it out at

xerox.com/SIM7

INNOVATIVE TECHNOLOGIES







Xerox® Integrated RFID Card Reader (optional) adds card-based authentication with support for over 90 access cards.

Near Field Communication (NFC) Tap-to-Pair allows users to tap their mobile devices to the AltaLink C8200 Series user panel and quickly connect with the multifunction printer.

Smart Proximity Sensor detects when users are nearby. It conserves energy during inactive periods and automatically activates the device when a user approaches.

PAPER OUTPUT/FINISHERS*



Office Finisher (optional) provides advanced finishing functions, optional crease/score and saddle-stitch booklet, capable of 60-page booklets (2 to 15 sheets).



at a great value.

C-Fold/Z-Fold Unit (optional) adds C-fold, Z-fold and Z-half-fold capability to the BR Finisher or BR Booklet Maker Finisher.



BR Booklet Maker Finisher (optional) creates 64-page saddle-stitched booklets (2 to 16 sheets).



Dual Offset Catch Tray (available when no finishers are installed; Single Offset Catch Tray with finishers).



Integrated Office Finisher (optional with C8230/C8235/ C8245/C8255) provides 500sheet stacking and 50-sheet, 2-position stapling.



Convenience Stapler (optional) staples up to 50 sheets of 20 lb./75 gsm media.

Xerox[®] AltaLink[®] C8230/C8235/C8245/C8255/C8270

Color Multifunction Printers

ConnectKey®

Technology

	ALTALINK [®] C8230	ALTALINK [®] C8235	ALTALINK [®] C8245	ALTALINK [®] C8255	ALTALINK [®] C8270
Speed ¹ (Color/Black-and-White)	Up to 30/30 ppm	Up to 35/35 ppm	Up to 45/45 ppm	Up to 55/55 ppm	Up to 70/70 ppm
Monthly Duty Cycle ²	Up to 90,000 pages	Up to 110,000 pages	Up to 200,000 pages	Up to 300,000 pages	Up to 300,000 pages
lard Drive/Processor/Memory	256 GB NVMe SSD; Optional: 1 T	B NVMe SSD/INTEL ATOM® Quad	Core, 1.9GHz/4 GB system memory (8 G	B system memory AltaLink® C8270)
Connectivity	10/100/1000Base-T Ethernet, High-Speed USB 2.0 direct print, NFC; Optional: WiFi/WiFi Direct with Xerox® Dual Band WiFi® and Bluetooth® Kit (for iBeacon™)				
Optional Controller	Xerox® EX-c AltaLink® Print Server Powered by Fiery®				
Copy and Print		00 dpi; Print Resolution: Up to 120			
irst-Copy-Out Time (as fast as)	6.0 seconds color/4.2 seconds blo	ack-and-white	5.5 seconds color/3.9 seconds	4.6 seconds color/3.6 seconds	4.0 seconds color/2.8 seconds
from platen/warmed-up state)	57 1 1 1 1 2 1 1 1 1 1 1		black-and-white	black-and-white	black-and-white
irst-Print-Out Time (as fast as)	5.7 seconds color/4.2 seconds black-and-white		4.9 seconds color/3.6 seconds black-and-white	4.5 seconds color/3.2 seconds black-and-white	3.7 seconds color/2.8 seconds black-and-white
Page Description Languages	Adobe [®] PostScript [®] 3 [™] , Adobe [®] P	PDF, PCL® 5c/PCL® 6	Diack-ana-write	Bluck-und-white	Diack-and-write
aper Input ³ Standard	Single-Pass Duplex Automatic Document Feeder (DADF): Up to 82 ppm simplex/161 ipm duplex (200 dpi). 130-sheet capacity for AltaLink® C8230/C8235/C8245/C8255. Pap sizes: 3.4 x 4.9 in. to 11.7 x 17 in./85 x 125 mm to 297 x 432 mm. Up to 135 ppm simplex/270 ipm duplex (200 dpi). 250-sheet capacity for AltaLink® C8270. Paper sizes: 3.4 x 4.9 in 11.7 x 17 in./85 x 125 mm to 297 x 432 mm. Up to 135 ppm simplex/270 ipm duplex (200 dpi). 250-sheet capacity for AltaLink® C8270. Paper sizes: 3.4 x 4.9 in 11.7 x 17 in./85 x 125 mm to 297 x 432 mm. Up to 135 ppm simplex/270 ipm duplex (200 dpi). 250-sheet capacity for AltaLink® C8270. Paper sizes: 3.4 x 4.9 in 11.7 x 17 in./85 x 125 mm to 297 x 432 mm. Up to 135 ppm simplex/270 ipm duplex (200 dpi). 250-sheet capacity for AltaLink® C8270. Paper sizes: 3.4 x 4.9 in 11.7 x 17 in./85 x 125 mm to 297 x 432 mm. Up to 135 ppm simplex/270 ipm duplex (200 dpi). 250-sheet capacity for AltaLink® C8270. Paper sizes: 3.4 x 4.9 in 11.7 x 17 in./85 x 125 mm to 297 x 432 mm. Up to 135 ppm simplex/270 ipm duplex (200 dpi). 250-sheet capacity for AltaLink® C8270. Paper sizes: 3.4 x 4.9 in 11.7 x 17 in./85 x 125 mm to 297 x 432 mm. Up to 12.6 x 52 in./89 x 98 mm to 320 x 1,320 mm (SEF); Tray 1: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 11.7 x 17 in./140 x 182 m				
	to 297 x 432 mm (SEF); Tray 2: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 12 x 18 in./140 x 182 mm to SRA3 (SEF)				
Choose One	Four Tray Module: (Trays 3 and 4 — available with AltaLink C8230/C8235): 1,040 sheets; 520 sheets each; Custom sizes; 5.5 x 7.2 in. to 12 x 18 in./140 x 182 mm to SRA3 (SEF).				
	Total standard paper capacity: 2,180 sheets; High Capacity Tandem Tray Module: 2,000 sheets; Sizes: 8.5 x 11 in./A4. Total standard paper capacity: 3,140 sheets				
Optional	High Capacity Feeder (HCF): Up to 3,000 sheets; Size 8.5 x 11 in./A4 long edge feed. Max paper capacity with HCF: 6,140 sheets; Envelope Tray (replaces Tray 1): Up to 60 envelope with Auto Size detection of some sizes; Long Sheet Feed Kit (banner printing): 12.6 x 52 in./320 x 1,320 mm; Multi-feed Detection Kit (available for AltaLink® C8270 only)				
Paper Output/ Standard	Dual Offset Catch Tray (standard when finishers are not attached): 250 sheets each; Face-up Tray: 100 sheets				
inishing ³ Optional	Integrated Office Finisher: Available with AltaLink C8230/C8235/C8245/C8255, staple positions: front and rear straight. 500 sheets stacker, 50 sheets stapling,				
	BR Finisher: 3,000-sheet stacker BR Booklet Maker Finisher: 1,50 booklet making (2 to 16 sheets, 6	and 500-sheet top tray, 50-sheet 00-sheet stacker and 500-sheet to 4 pages) and V-folding ng, Letter Z-folding and Letter C-fo	pling, optional hole punch, optional book multiposition stapling and 2/3-hole pur p tray, 50-sheet multiposition stapling a Iding to the BR Finisher and BR Booklet	iching ind 2/3-hole punching plus saddle-s	
NTUITIVE USER EXPE	RIENCE				
ustomize		ide functions, personalize user exp	erience with authentication, create 1-To	uch Apps, auto wake-up with Smart	Proximity Sensor, Enable AI-Assiste
			s. Copy, scan, or email without touching		
rint Drivers			bal Print Driver®, Application Defaults, >	(erox [®] Pull Print Driver, Microsoft Ur	niversal Print/IPP with Print Suppor
	Application (Secure Print and Sec				
erox® Embedded Web Server	Accessibility Guidelines (WCAG)		Cloning, Fleet Orchestrator, Configurat	on Watchdog, Remote Control Pan	el, Security Templates, Web Conter
Print Features	Price Saturation Concerning Conce				
	Job Monitoring, Application Control, Two-sided Printing, Draft Mode, Long Śheet (Banner) Printing, Mopria® Print, Apple AirPrint™, Xerox® Print Service (Android), @PrintByXerox, Imaging Security; Optional: Xerox® Workplace Mobile App (iOS/Android)				
Scan and Fax	Scan Preview, Scan to USB/PC via USB port/Email/Network (FTP/SFTP/SMB), Scan to Print, Scan File Formats: PDF, PDF/A, JPG, TIFF; Convenience Features: Scan to Home, Searchat PDF, Single/Multi-page PDF/TIFF, Password-protected PDF, TWAIN driver (scan), Imaging Security; Fax Features: Walk-up Fax (one-line or two-line options available, includes LAN F Direct Fax, Fax Forward to Email), Fax dialing, Unified Address Book, Optical Character Recognition (OCR), Server Fax, Mopria® Scan, Apple AirPrint [™] , Optional : Xerox [®] Workplace Mobile App (iOS/Android); Scan To Cloud Repositories (Dropbox, OneDrive, and Google Drive)				
MOBILE AND CLOUD-R	EADY				
Nobile Connectivity); Optional: Dual Band WiFi and Bl	uetooth Kit (for iBeacon)		
Nobile Printing	Mopria® Print, Apple AirPrint [®] , Xerox [®] Print Service (Android), @PrintByXerox; Optional : Xerox [®] Workplace Mobile App (iOS/Android)				
Nobile Scanning	Mopria® Scan, Apple AirPrint [™] , Optional: Xerox [®] Workplace Mobile App (iOS/Android)				
Cloud-ready	Remote services enabled, native "Print from" Cloud repositories (Dropbox, OneDrive, Google Drive), integration with Okta, Ping Identity, Microsoft Azure; Optional: Native "Scan to" cloud repositories (Dropbox, OneDrive, Google Drive), direct connection to cloud-hosted services via optional apps (accessed via Xerox App Gallery apport visit xerox.com/AppGallery), Xerox WorkFlow Central Platform				
COMPREHENSIVE SECU	RITY				
Network Security	802.1x, IPsec, HTTPS, SFTP and Encrypted Email, Trellix ePolicy Orchestrator ^{as} , Trellix Enterprise Security Manager [*] , LogRhythm SIEM, Splunk SIEM, Network Authentication, SNMPv3 SHA-256 Hash Message Authentication, TLS 1.1/1.2/1.3, Security Certificates utilizing ECDSA, Automatic Self-signed Certificate, Cisco ⁶ Identity Services Engine (ISE) integration, automated threat response through Trellix DXI/Cisco pxGrid integration, Local Authentication (Internal Database), FIPS 140-3				
Device Access	User Access and Internal Firewall, Serverless Card Authentication, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Configuration Watchdog, TPM 2.0, Log-in with Okta, Ping Identity, and Microsoft Azure credentials, WPA2 [™] and WPA3 [™] with Dual Band WiFi and Bluetooth Kit; Optional : Smart Card Enablement Kit (CAC/PIV/.NET/ SIPRNet) ⁵ , Xerox [®] Integrated RFID Card Reader, NFC standard (authentication via optional Xerox [®] Workplace Cloud/Suite Print Management and Content Security; learn more at xerox.com/WorkplaceSolutions)				
	Trellix Allowlisting*, Firmware Verification, Security Dashboard, Security Templates, Trusted Boot; Optional: Trellix Integrity Control*				
	Trellix Allowlisting*, Firmware Ver	incution, security Dusinbourd, sect	urity Templates, Trusted Boot; Optional	: Trellix Integrity Control*	
	Common Criteria Certification full s Imaging Security with AltaLink's pro	system against CPP HCD V1.0E will be oprietary marking and infrared detec	irity Templates, Trusted Boot; Optional e made available in a future firmware relea tion technology, Job Level Encryption via I and Secure Release; Optional: Xerox [®] Woo	se, Encrypted Secure Print, FIPS 140-3 HTTPS and Drivers, Encrypted NVMe S	SD (ÁES 256-bit), Job Data Removal,
ata and Document Security	Common Criteria Certification full s Imaging Security with AltaLink's pro Encrypted and Signed Email, Micros	system against CPP HCD V1.0E will be oprietary marking and infrared detec	e made available in a future firmware relea tion technology, Job Level Encryption via H	se, Encrypted Secure Print, FIPS 140-3 HTTPS and Drivers, Encrypted NVMe S	SD (ÁES 256-bit), Job Data Removal,
ata and Document Security	Common Criteria Certification fulls Imaging Security with AltaLink's pre Encrypted and Signed Email, Micros	system against CPP HCD V1.0E will be oprietary marking and infrared detec soft Universal Print with Secure Print	e made available in a future firmware relea tion technology, Job Level Encryption via H	se, Encrypted Secure Print, FIPS 140-3 ITTPS and Drivers, Encrypted NVMe S kplace Cloud/Suite Content Security,	SD (ÅES 256-bit), Job Data Removal, Encrypted 1 TB NVMe SSD (AES 256-
NABLES MANAGED PR	Common Criteria Certification full s Imaging Security with AltaLink's pr Encrypted and Signed Email, Micros INT SERVICES Xerox® Standard Accounting; Opt Xerox® CentreWare® Web Softwa	vystem against CPP HCD V1.0E will be oprietary marking and infrared detec soft Universal Print with Secure Print tional: Xerox® Workplace Suite/Clc re, Xerox® Support Assistant, Auto	e made available in a future firmware relea tion technology, Job Level Encryption via I and Secure Release; Optional: Xerox [®] Wor	se, Encrypted Secure Print, FIPS 140-3 ITTPS and Drivers, Encrypted NVMe S kplace Cloud/Suite Content Security, ervice, more at xerox.com/PrintMc	SD (ÅES 256-bit), Job Data Removal, Encrypted 1 TB NVMe SSD (AES 256- Inagement
ata and Document Security NABLES MANAGED PR rint Management leet/Device Management	Common Criteria Certification full s Imaging Security with AltaLink's pro Encrypted and Signed Email, Micros INT SERVICES Xerox® Standard Accounting; Opt Xerox® CentreWare® Web Softwa Print Services Suite, cloud-based	vystem against CPP HCD V1.0E will be oprietary marking and infrared detect soft Universal Print with Secure Print tional: Xerox® Workplace Suite/Clc re, Xerox® Support Assistant, Auto remote management with Xerox®	e made available in a future firmware relea tion technology, Job Level Encryption via I and Secure Release; Optional: Xerox® Wo Nud, Xerox® Virtual Print Management S mated Meter Read, Fleet Orchestrator,	se, Encrypted Secure Print, FIPS 140-3 ITTPS and Drivers, Encrypted NVMe S kplace Cloud/Suite Content Security, ervice, more at xerox.com/PrintMc	SD (ÅES 256-bit), Job Data Removal, Encrypted 1 TB NVMe SSD (AES 256- Inagement
Data and Document Security NABLES MANAGED PR Irint Management Ieet/Device Management nsights	Common Criteria Certification full s Imaging Security with AltaLink's pre Encrypted and Signed Email, Micros INT SERVICES Xerox® Standard Accounting; Op Xerox® CentreWare® Web Softwa Print Services Suite, cloud-based Xerox® MPS Advanced Analytics, Secure Device Management: Xero	system against CPP HCD V1.0E will be oprietary marking and infrared detects soft Universal Print with Secure Print tional: Xerox® Workplace Suite/Cld re, Xerox® Support Assistant, Auto remote management with Xerox® Predictive AI ox® Printer Security Audit Service (e made available in a future firmware relea tion technology, Job Level Encryption via I and Secure Release; Optional: Xerox® Wor bud, Xerox® Virtual Print Management S mated Meter Read, Fleet Orchestrator, G Cloud Fleet Management Solution auto-configuration of security settings,	se, Encrypted Secure Print, FIPS 140-3 HTTPS and Drivers, Encrypted NVMe S kplace Cloud/Suite Content Security, I ervice, more at xerox.com/PrintMc Configuration Cloning, Xerox® Easy	SD (ÅËS 256-bit), Job Data Removal, Encrypted 1 TB NVMe SSD (AES 256- Inagement Assist App; Optional: Managed
Data and Document Security NABLES MANAGED PR rrint Management leet/Device Management nsights ecurity	Common Criteria Certification full s Imaging Security with AltaLink's pre Encrypted and Signed Email, Micros INT SERVICES Xerox® Standard Accounting; Op Xerox® CentreWare® Web Softwa Print Services Suite, cloud-based Xerox® MPS Advanced Analytics, Secure Device Management: Xerr Reporting, Interactive Dashboard	system against CPP HCD V1.0E will be oprietary marking and infrared detect soft Universal Print with Secure Print tional: Xerox® Workplace Suite/Clo re, Xerox® Support Assistant, Auto remote management with Xerox® Predictive AI	e made available in a future firmware relea tion technology, Job Level Encryption via I and Secure Release; Optional: Xerox® Wor bud, Xerox® Virtual Print Management S mated Meter Read, Fleet Orchestrator, G Cloud Fleet Management Solution auto-configuration of security settings,	se, Encrypted Secure Print, FIPS 140-3 HTTPS and Drivers, Encrypted NVMe S kplace Cloud/Suite Content Security, I ervice, more at xerox.com/PrintMc Configuration Cloning, Xerox® Easy	SD (ÅËS 256-bit), Job Data Removal, Encrypted 1 TB NVMe SSD (AES 256- Inagement Assist App; Optional: Managed
Device Security Data and Document Security ENABLES MANAGED PR Print Management Fleet/Device Management insights Security GATEWAY TO NEW POS Kerox and Partner Apps	Common Criteria Certification full s Imaging Security with AltaLink's pre Encrypted and Signed Email, Micros INT SERVICES Xerox® Standard Accounting: Op Xerox® CentreWare® Web Softwa Print Services Suite, cloud-based Xerox® MPS Advanced Analytics, Secure Device Management: Xerr Reporting, Interactive Dashboard SIBILITIES	system against CPP HCD V1.0E will be oprietary marking and infrared detec soft Universal Print with Secure Print tional: Xerox® Workplace Suite/Clc re, Xerox® Support Assistant, Auto remote management with Xerox® Predictive AI ox® Printer Security Audit Service (d Reports, Device Security Center, N	made available in a future firmware relea tion technology, Job Level Encryption via I and Secure Release; Optional : Xerox® Wo bud, Xerox® Virtual Print Management S mated Meter Read, Fleet Orchestrator, Cloud Fleet Management Solution auto-configuration of security settings, Workplace App Management	se, Encrypted Secure Print, FIPS 140-3 HTTPS and Drivers, Encrypted NVMe S kplace Cloud/Suite Content Security, l ervice, more at xerox.com/PrintMc Configuration Cloning, Xerox® Easy monitoring and auto-remediation),	SD (ÅËS 256-bit), Job Data Removal, Encrypted 1 TB NVMe SSD (AES 256- Inagement Assist App: Optional: Managed Certificate Management, SIEM
Data and Document Security NABLES MANAGED PR rrint Management leet/Device Management nsights ecurity	Common Criteria Certification full s Imaging Security with AltaLink's pro Encrypted and Signed Email, Micros INT SERVICES Xerox® Standard Accounting; Opt Xerox® CentreWare® Web Softwa Print Services Suite, cloud-based Xerox® MPS Advanced Analytics, Secure Device Management: Xerr Reporting, Interactive Dashbaaro SIBILITIES Al apps for limited use included i	system against CPP HCD V1.0E will be oprietary marking and infrared detects soft Universal Print with Secure Print tional: Xerox® Workplace Suite/Clc re, Xerox® Support Assistant, Auto remote management with Xerox® Predictive AI ox® Printer Security Audit Service (d Reports, Device Security Center, 1 n your AltaLink 8200 Series: Xerox [®]	e made available in a future firmware relea tion technology, Job Level Encryption via I and Secure Release; Optional: Xerox® Wor bud, Xerox® Virtual Print Management S mated Meter Read, Fleet Orchestrator, G Cloud Fleet Management Solution auto-configuration of security settings,	se, Encrypted Secure Print, FIPS 140-3 HTTPS and Drivers, Encrypted NVMe S kplace Cloud/Suite Content Security, I ervice, more at xerox.com/PrintMc Configuration Cloning, Xerox® Easy monitoring and auto-remediation), verter App, Xerox® Summarizer App	SD (ÅES 256-bit), Job Data Removal, Encrypted 1 TB NVMe SSD (AES 256- inagement Assist App: Optional: Managed Certificate Management, SIEM

³ Paper capacities are based on 20 lb./75 gsm stock; capacities will vary with different weight stocks

4 Sold congratoly in come geographies

⁴ Sold separately in some geographies ⁵ Not available in all geographies

* Trellix formerly known as McAfee

Certifications: xerox.com/OfficeCertifications

Learn more at **xerox.com/AltaLink** and see how we make work, work.

hello@colyer.co.uk | 01483 596200 | www.colyer.co.uk

© 2024 Xerox Corporation. All rights reserved. Xerox®, AltaLink®, CentreWare®, ConnectKey® and Global Print Driver® are trademarks of Xerox Corporation in the United States and/or other countries. XMPie® is a trademark of XMPie, Inc. Mopria® is a trademark of the Mopria® Alliance. The information in this brochure is subject to change without notice. 07/24 TSK-5266 BR40438 EMC24040 AC8BR-06UA



Colyer.